

## Bibliography of Prof. RNDr. Zlatko Kvaček, DrSc. (2007 – 2017)

Complete bibliography of Prof. RNDr. Zlatko Kvaček, DrSc. from years 1965 – 2007 was published in *Acta Musei Nationalis Pragae, Ser. B, Historia Naturalis* (now Fossil Imprint) in 2007 (Kvaček, Z.: Bibliography of Prof. RNDr. Zlatko Kvaček, DrSc. – *Acta Musei Nationalis Pragae, Ser. B, Historia Naturalis*, 63(2-4): 75–83).

### 2007

Kvaček, Z., Teodoridis, V. (2007): Tertiary macrofloras of the Bohemian Massif: a review with correlations within Boreal and Central Europe. – *Bulletin of Geosciences*, 82(4): 383–408.

Kvaček, Z. (2007): Do extant nearest relatives of thermophile European Tertiary elements reliably reflect climatic signal? – *Palaeogeography, Palaeoclimatology, Palaeoecology*, 253: 32–40.

Kvaček, Z., Rember, W. C. (2007): *Calocedrus robustior* (Cupressaceae) and *Taxus schornii* (Taxaceae): two new conifers from the middle Miocene Latah Formation of northern Idaho. – *PaleoBios*, 27(2): 68–79.

Bogner, J., Johnson, K. R., Kvaček, Z., Upchurch, G. R. Jr. (2007): New fossil leaves of Araceae from the Late Cretaceous and Paleogene of western North America. – *Zitteliana*, A, 47: 133–147.

Kovar-Eder, J., Kvaček, Z. (2007): The integrated plant record to reconstruct Neogene vegetation: the IPR vegetation analysis. – *Acta Palaeobotanica*, 77: 391–418.

Ševčík, J., Kvaček, Z., Mai, D. H. (2007): A new mastixioid flora from tektite-bearing deposits in South Bohemia, Czech Republic (Middle Miocene, Vrábče Member). – *Bulletin of Geosciences*, 82(4): 429–436.

Walther, H., Kvaček, Z. (2007): Early Oligocene flora of Seiffhennersdorf (Saxony). – *Acta Musei Nationalis Pragae, Ser. B, Historia Naturalis*, 63(2-4): 85–174.

### 2008

Kvaček, Z. (2008): Whole-plant reconstructions in fossil angiosperm research. – *International Journal of Plant Sciences*, 169: 918–927.

Kvaček, Z. (2008): The role of types in palaeobotanical nomenclature. – *Acta Musei Nationalis Pragae, Series B, Historia Naturalis*, 64: 89–96.

Kvaček, Z. (2008): Tertiary vegetation of Europe and its dynamics and climatic signal – new approaches in botany of the past. – *The Palaeobotanist*, 57: 459–463.

Kvaček, Z., Bogner, J. (2008): Twenty-million years-old fruits and seeds of *Pistia* (Araceae) from Central Europe. – *Aroideana*, 31: 90–97.

Kvaček, Z., Teodoridis, V., Gregor, H.-J. (2008): The Pliocene leaf flora of Auenheim, Northern Alsace (France). – *Documenta naturae*, 155(10): 1–108.

Hably, L., Kvaček, Z. (2008): Nomenclatural types and taxonomy of Unger's (1850) and Ettingshausen's (1853)

fossil leaves recognized as new *Sloanea* records in the European Paleogene. – *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 249: 139–142.

Kovar-Eder, J., Jechorek, H., Kvaček, Z., Parashiv, V. (2008): The integrated plant record to reconstruct Neogene zonal vegetation in Europe. – *Palaios*, 23: 97–111.

Kürschner, W. M., Kvaček, Z., Dilcher, D. L. (2008): The impact of Miocene atmospheric carbon dioxide fluctuations on climate and the evolution of terrestrial ecosystems. – *Proceedings of the National Academy of Science*, 105: 449–453.

Walther, H., Kvaček, Z. (2008): Die Gattung *Ilex* Linné (Aquifoliaceae) im Paläogen Mitteleuropa. – *Feddes Repertorium*, 119: 169–187.

### 2009

Kvaček, Z., Teodoridis, V., Wang, Q. (2009): *Ilex geissertii* sp. n. (Aquifoliaceae), a fossil ancestor of *Ilex* sect. *Ilex* in the upper Miocene and Pliocene of Europe. – *Review of Palaeobotany and Palynology*, 157: 192–210.

Akhmetiev, M., Walther, H., Kvaček, Z. (2009): Mid-latitude Palaeogene floras of Eurasia bound to volcanic setting and palaeoclimatic events – experience obtained from the Far East Russia (Sikhote-Alin') and Central Europe (Bohemian Massif). – *Acta Musei Nationalis Pragae, Series B, Historia Naturalis*, 65: 61–121.

Bogner, J., Kvaček, Z. (2009): A fossil *Vallisneria* plant (Hydrocharitaceae) from the Early Miocene freshwater deposits of the Most Basin (north Bohemia). – *Aquatic Botany*, 90: 119–123.

Kunzmann, L., Kvaček, Z., Mai, D. H., Walther, H. (2009): The genus *Taxodium* (Cupressaceae) in the Palaeogene and Neogene of Central Europe. – *Review of Palaeobotany and Palynology*, 153: 153–183.

Kürschner, W. M., Kvaček, Z. (2009): Oligocene – Miocene CO<sub>2</sub> fluctuations, climatic and palaeofloristic trends inferred from fossil plant assemblages in central Europe. – *Bulletin of Geosciences*, 84: 189–202.

Manchester, S. R., Kvaček, Z. (2009): Fruits of *Sloanea* (Elaeocarpaceae) in the Paleogene of North America and Greenland. – *International Journal of Plant Sciences*, 170: 941–950.

Teodoridis, V., Kvaček, Z., Uhl, D. (2009): Pliocene palaeoenvironment and correlation of the Sessenheim-Auenheim floristic complex (Alsace, France). – *Palaeodiversity*, 2: 1–17.

### 2010

Kvaček, Z. (2010): Forest flora and vegetation of the European early Palaeogene – a review. – *Bulletin of Geosciences*, 85: 63–76.

Kvaček, Z., Bogner, J. (2010): *Aracistrobus*, an enigmatic non-araceous fossil from the Eurasian Oligocene and Miocene. – *Zitteliana*, A, 50: 137–141.

- Kvaček, Z., Wilde, V. (2010): Foliage and seeds of malvean plants from the Eocene of Europe. – *Bulletin of Geosciences*, 85: 163–182.
- Li, Y.-L., Kvaček, Z., Ferguson, D. K., Wang, Y.-F., Li, C.-S., Yang, J., Ying, T.-S., Ablaev, A. G., Liu, H.-M. (2010): The fossil record of *Berberis* (Berberidaceae) from the Palaeocene of NE China and interpretations of the evolution and phytogeography of the genus. – *Review of Palaeobotany and Palynology*, 160: 10–31.
- Liang, X.-Q., Wilde, V., Ferguson, D. K., Kvaček, Z., Ablaev, A. G., Wang, Y.-F., Li, C.-S. (2010): *Comptonia naumannii* (Myricaceae) from the early Miocene of Weichang, China, and the palaeobiogeographical implication of the genus. – *Review of Palaeobotany and Palynology*, 163: 52–63.
- Manchester, S. R., Kvaček, Z. (2010): Inflorescences and compound leaves of the extinct *Platanus neptuni* complex in the Oligocene of Oregon, USA. – *Acta Palaeobotanica*, 50: 5–15.
- Prokop, J., Wappler, T., Knor, S., Kvaček, Z. (2010): Plant-Arthropod associations from the Lower Miocene of the Most Basin in Northern Bohemia (Czech Republic): a preliminary report. – *Acta geologica sinica*, 84: 903–914.
- Worobiec, G., Worobiec, E., Kvaček, Z. (2010): Neogene leaf morphotaxa of Malvaceae s.l. in Europe. – *International Journal of Plant Sciences*, 171: 892–914.
- Zijistra, G., Kvaček, Z. (2010): (1924) Proposal to conserve the name *Cupressinocladus* against *Libocedrites* (Fossil Coniferophyta). – *Taxon*, 59: 301.
- Pešek, J., Adámek, J., Brzobohatý, R., Bubík, M., Cicha, I., Dašková, J., Doláková, N., Elznic, A., Fejfar, O., Franců, J., Hladilová, Š., Holcová, K., Honěk, J., Hoňková, K., Jurková, Z., Krásný, J., Krejčí, O., Kvaček, J., Kvaček, Z., Macůrek, V., Opluštil, S., Mikuláš, R., Pálenský, P., Rojík, P., Skupien, P., Spudil, J., Sýkorová, I., Šikula, J., Švábenická, L., Teodoridis, V., Titl, F., Tomanová-Petrová, P., Ulrych, J. (2010): Terciární pánve a ložiska hnědého uhlí České republiky. – *Česká geologická služba*, Praha, 437 pp.
- 2011**
- Kvaček, Z., Teodoridis, V. (2011): A Late Eocene flora of Kučlín near Bílina in North Bohemia revisited. – *Acta Musei Nationalis Pragae, Series B, Historia Naturalis*, 67: 83–144.
- Kvaček, Z., Teodoridis, V., Roiron, P. (2011): A forgotten Miocene mastixioid flora of Arjuzanx (Landes, SW France). – *Palaeontographica*, B, 285: 3–111.
- Sakala, J., Kvaček, Z. (2011): in Košťák, M., Mazuch, M. (eds), *Putování naším pravěkem*. – *Granit*, Praha, pp. 8–41.
- Teodoridis, V., Kovar-Eder, J., Marek, P., Kvaček, Z., Mazouch, P. (2011): The Integrated Plant Record vegetation analysis: internet platform and online application. – *Acta Musei Nationalis Pragae, Series B, Historia Naturalis*, 67: 159–165.
- 2012**
- Kvaček, Z., Walther, H. (2012): European Tertiary Fagaceae with chinquapin-like foliage and leaf epidermal characteristics. – *Feddes Repertorium*, 121: 248–267.
- Erdei, B., Manchester, S. R., Kvaček, Z. (2012): *Dioonopsis* Horiuchi et Kimura leaves from the Eocene of Western North America: A Cycad shared with the Paleogene of Japan. – *International Journal of Plant Sciences*, 173: 81–95.
- Guo, S.-X., Kvaček, Z., Manchester, S. R., Zhou, Z.-K. (2012): *Ditaxocladus* (extinct Cupressaceae, Cupressoideae) from the Upper Cretaceous and Paleocene of the Northern Hemisphere. – *Palaeontographica*, B, 288: 135–159.
- Holý, F., Kvaček, Z., Teodoridis, V. (2012): A review of the early Miocene mastixioid flora of the Kristina Mine at Hrádek nad Nisou in North Bohemia (Czech Republic). – *Acta Musei Nationalis Pragae, Series B, Historia Naturalis*, 68: 53–118.
- Knor, S., Prokop, J., Kvaček, Z., Janovský, Z., Wappler, T. (2012): Plant-arthropod associations from the Early Miocene of the Most Basin in North Bohemia – Palaeoecological and palaeoclimatological implications. – *Palaeogeography, Palaeoclimatology, Palaeoecology*, 321–322: 102–112.
- Teodoridis, V., Kvaček, Z., Zhu, H., Mazouch, P. (2012): Environmental analysis of the mid-latitude European Eocene sites of plant macrofossils and their possible analogues in East Asia. – *Palaeogeography, Palaeoclimatology, Palaeoecology*, 333–334: 40–58.
- 2013**
- Liang, X.-Q., Li, Y., Kvaček, Z., Wilde, V., Li, C.-S. (2013): Seeds of *Weigela* (Caprifoliaceae) from the Early Miocene of Weichang, China and the biogeographical history of the genus. – *Taxon*, 62: 1009–1018.
- 2014**
- Kvaček, Z. (2014): New fossil records of *Ceratozamia* (Zamiaceae, Cycadales) from the European Oligocene and lower Miocene. – *Acta Palaeobotanica*, 54: 231–247.
- Kvaček, Z., Lieven, U., Gregor, H.-J. (2014): *Pinus timleri* – ein wichtiges Element aus der pliozänen Flora des Tagebaues Hambach (RWE Power AG). – *Documenta naturae*, 195(1): 23–47.
- Kvaček, Z., Teodoridis, V., Kováčová, M., Schlögl, J., Sitár, V. (2014): Lower Miocene plant assemblage with coastal-marsh herbaceous monocots from the Vienna Basin (Slovakia). – *Geologica Carpathica*, 65: 227–239.
- Kvaček, Z., Teodoridis, V., Mach, K., Příkryl, T., Dvořák, Z. (2014): Tracing Eocene-Oligocene transition: a case study from North Bohemia. – *Bulletin of Geosciences*, 89: 21–66.
- Kvaček, Z., Teodoridis, V., Mazouch, P., Roiron, P. (2014): Fossil seed cones of *Pinus* L. (sect. *Pinus*, subsect. *Pinaster* Loudon, *Sula* group) from the late Neogene and early Pleistocene of Europe. – *Palaeontographica*, B, 291: 131–164.

- Kunzmann, L., Kvaček, Z., Teodoridis, V., Moraweck, K. (2014): Tracing terrestrial palaeoclimatic changes - vegetation dynamics of riparian forest in central Europe during late Palaeogene. – *Rendiconti Online della Società Geologica Italiana*, 31: 133–134.
- Mach, K., Teodoridis, V., Matys Grygar, T., Kvaček, Z., Suhr, P., Standke, G. (2014): An evaluation of palaeogeography and palaeoecology in the Most Basin (Czech Republic) and Saxony (Germany) from the late Oligocene to the early Miocene. – *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 272: 13–45.
- Pešek, J., Adámek, J., Brzobohatý, R., Bubík, M., Cicha, I., Dašková, J., Doláková, N., Elznic, A., Fejfar, O., Franců, J., Hladilová, Š., Holcová, K., Honěk, J., Hoňková, K., Jurková, Z., Krásný, J., Krejčí, O., Kvaček, J., Kvaček, Z., Macůrek, V., Opluštil, S., Mikuláš, R., Pálenský, P., Rojík, P., Skupien, P., Spudil, J., Sýkorová, I., Šikula, J., Švábenická, L., Teodoridis, V., Titl, F., Tomanová-Petrová, P., Ulrych, J. (2014): Tertiary basins and lignite deposits of the Czech Republic. – *Czech Geological Survey, Prague*, 283 pp.
- Winterscheid, H., Kvaček, Z. (2014): Revision der Flora aus den oberoligozänen Seeablagerungen von Orsberg bei Unkel am Rhein (Rheinland-Pfalz, Deutschland). – *Palaeontographica, B*, 291: 1–83.
- 2015**
- Mantzouka, D., Sakala, J., Kvaček, Z., Karakitsios, V. (2015): Palaeobotanical study of Polichnitos region, southern part of Lesbos Island, Greece (preliminary results on angiosperm wood). – *Bulletin of the Geological Society of Greece*, 47(2013): 204–215.
- Kvaček, Z., Hably, L. (2015). The whole plant reconstruction of *Banisteriaecarpum giganteum* and *Byttneriophyllum tiliifolium* – a preliminary report. – *Folia musei rerum naturalium Bohemiae occidentalis, geologica et palaeobiologica*, 48(2014): 1–10.
- Kvaček, Z. (2015): Rectification of invalidly published new names for plants from the late Eocene in North Bohemia. – *Acta Palaeobotanica*, 55: 209–212.
- Kvaček, Z., Kraft, P. (2015): Nejstarší rostliny na území Českého masívu. – *Botanika*, 3(2): 8–9.
- Kvaček, Z., Teodoridis, V., Zajícová, J. (2015): Revision of the early Oligocene flora of Hrazený hill (formerly Pirskenberg) in Knížecí near Šluknov, North Bohemia. – *Acta Musei Nationalis Pragae, Series B, Historia Naturalis*, 71: 55–102.
- Karakitsios, V., Kvaček, Z., Mantzouka, D. (2015): The first plant megafossil in the Early Jurassic of Greece: *Brachyphyllum* (Coniferales) from the Lower Posidonia Beds (Toarcian) in the Ionian zone (NW Greece) and its palaeogeographic implications. – *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 278: 79–94.
- Knor, S., Kvaček, Z., Wappler, T., Prokop, J. (2015): Diversity, taphonomy and palaeoecology of plant-arthropod interactions in the lower Miocene (Burdigalian) in the Most Basin in north-western Bohemia (Czech Republic). – *Review of Palaeobotany and Palynology*, 219: 52–70.
- Mantzouka, D., Kvaček, Z., Teodoridis, V., Utescher, T., Tsaparas, N., Karakitsios, V. (2015): A new late Miocene (Tortonian) flora from Gavdos Island in southernmost Greece evaluated in the context of vegetation and climate in the Eastern Mediterranean. – *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 275: 47–81.
- Teodoridis, V., Kvaček, Z. (2015): Palaeoenvironmental evaluation of Cainozoic plant assemblages recovered in the Bohemian Massif (Czech Republic) with reference to adjacent Germany. – *Bulletin of Geosciences*, 90: 695–720.
- Teodoridis, V., Kvaček, Z., Agostini, S., Martinetto, E., Rosi, M. A., Cavallo, O. (2015): Feather palm foliage from the Messinian of Italy (Capo di Fiume, Palena and Pollenzo near Alba) within the framework of northern Mediterranean late Miocene flora. – *Acta Musei Nationalis Pragae, Series B, Historia Naturalis*, 72: 301–314.
- Teodoridis, V., Kvaček, Z., Sami, M., Torsten, U., Martinetto, E. (2015): Palaeoenvironmental analysis of the Messinian macrofossil floras of Tossignano and Monte Tondo (Vena del Gesso Basin, Romagna Apennines, Northern Italy). – *Acta Musei Nationalis Pragae, Series B, Historia Naturalis*, 72: 249–292.
- 2016**
- Kvaček, Z., Bubík, M. (2016): A new Oligocene leaf assemblage from the Ghalandar area (NW Iran) and its contribution to understanding of floristic evolution in the eastern Paratethys. – *Bulletin of Geosciences*, 91: 705–715.
- Kvaček, Z., Libertín, M. (2016): Český střední devon – světoznámé naleziště starobylých karpad'orostů. – *Botanika*, 4(1): 12–13.
- Kvaček, Z., Opluštil, S., Libertín, M. (2016): Karbonské pralesy v Čechách. – *Botanika*, 4(2): 4–5.
- Kvaček, Z., Martinetto, E. (2016): Foliage accumulations of *Osmunda lignitum* (Osmundaceae) in the Oligocene of northern Italy and western Germany. – *Fossil Imprint*, 72: 131–139.
- Kvaček, Z., Sakala, J. (2016): Fossilní flora. – In: Matějů, J., Hradecký, P., Melichar, V. (eds), *Doupovské hory. – Česká geologická služby, Muzeum Karlovy Vary, Praha*, pp. 76–84.
- Kvaček, Z., Winterscheid, H. (2016): Investigations in taxonomy and leaf anatomy of late Oligocene plant assemblages in the volcanic Seven Mountains area near Bonn, Germany. – *Boletín de la Asociación Latinoamericana de Paleobotánica y Palynología*, 16: 128.
- Kunzmann, L., Kvaček, Z., Teodoridis, V., Müller, Ch., Moraweck, K. (2016): Vegetation dynamics of riparian forest in central Europe during the late Eocene. – *Palaeontographica, B*, 295: 69–89.
- Teodoridis, V., Kvaček, Z., Sami, M. (2016): Revisione della flora messiniana di Polenta (Bertinoro) raccolta

- da Pietro Zangheri. – Memorie dell’Istituto Italiano de Speleologia, ser. II, 31: 27–52.
- Winterscheid, H., Kvaček, Z. (2016): Late Oligocene macrofloras from fluvial siliciclastic facies of the Köln Formation at the southeastern border of the Lower Rhine Embayment (North Rhine-Westphalia, Germany). – *Acta Palaeobotanica*, 56: 41–64.
- Winterscheid, H., Kvaček, Z. (2016): Revision der Flora aus den oberoligozänen Seeablagerungen der Grube „Stöbchen“ bei Linz am Rhein (Rheinland-Pfalz, Deutschland). – *Palaeontographica*, B, 294: 111–151.
- 2017**
- Kvaček, Z., Opluštil, S. (2017): Pustiny konce prvohor v Čechách. – *Botanika*, 5(1): 10–11.
- Kvaček, Z., Kvaček, J. (2017): Rostlinstvo druhohor. – *Botanika*, 5(2): 4–6.
- Barrón, E., Averyanova, A., Kvaček, Z., Momohara, A., Pigg, K. B., Popova, S., Postigo-Mijarra, J. M., Tiffney, B. H., Utescher, T., Zhou, Z. K. (2017): The Fossil History of *Quercus*. – In: Gil-Pelegrín, E., Peguero-Pina, J. J., Sancho-Knapik, D. (eds), *Oaks physiological ecology. Exploring the functional diversity of genus Quercus L.* – Springer, Cham, pp. 39–105.
- Kraft, P., Kvaček, Z. (2017): Where the lycophytes come from? – A piece of the story from the Silurian of peri-Gondwana. – *Gondwana Research*, 45: 180–190.
- Mach, K., Žák, K., Teodoridis, V., Kvaček, Z. (2017): Consequences of Lower Miocene CO<sub>2</sub> degassing on geological and paleoenvironmental settings of the Ahníkov/Merkur Mine paleontological locality (Most Basin, Czech Republic). – *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 285(3): 235–266.
- Teodoridis, V., Bruch, A. A., Vassio, E., Martinetto, E., Kvaček, Z., Stuchlik, L. (2017): Plio-Pleistocene floras of the Vildštejn Formation in the Cheb Basin, Czech Republic – a review and a new paleoenvironmental evaluation. – *Review of Palaeobotany and Palynology*, 467: 166–190.
- Teodoridis, V., Kvaček, Z., Mach, K., Sakala, J., Dašková, J., Rojík, P. (2017): Fossil *Comptonia* (Myricaceae) from the type area in North Bohemia with comments on foliage and fruits. – *Bulletin of Geosciences*, 92: 185–210.
- Teodoridis, V., Kvaček, Z., Sami, M. (2017): Revision of the Messinian flora of Polenta (Romagna Apennines, Northern Italy). – *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 283: 221–237.

arranged by Jakub Sakala